Approved for use through 04/30/2009 OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 3

Complete if Known	
Application Number	10/655,920
Filing Date	September 5, 2003
First Named Inventor	Hassan Mostafavi
Art Unit	3737
Examiner Name	Lauritzen, Amanda L.
Attorney Docket Number	VM 03-006-US

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T
	1	ROGUS, R.D. et al.; "Accuracy Of A Photogrammetry-Based Patient Positioning and Monitoring System For Radiation Therapy"; Med. Phys. 26; pp. 721-728; (May 1999).	
	2	ROSENZWEIG, K.E. et al.; "The Deep Inspiration Breath Hold Technique In The Treatment Of Inoperable Non-Small-Cell Lung Cancer"; Inl. J. Radiat. Oncol., BioI.. Phys. 48; pp. 81-87; (August 2000).	
	3	ROSS, C.S. et al.; "Analysis Of Movement Of Intrathoracic Neoplasms Using Ultrafast Computerized Tomography"; Int. J. Radia/. Oncol., Bioi., Phys. 18; pp. 671-677; (March 1990).	
	4	RUNGE, V.M. et al.; "Respiratory Gating In Magnetic Resonance Imaging at 0.5 Tesla"; Radiology 151; pp. 521-523; (May 1984).	
	5	SACHS, T.S. et al.; "Real-Time Motion Detection In Spiral MRI Using Navigators", Magn. Reson. Med. 32; pp. 639- 645; (November 1994).	
	6	SCHAR, M. et al. "The Impact of Spatial Resolution and Respiratory Motion on MR Imaging of Atherosclerotic Plaque" J. Magnetic Resonance Imaging (2003) 17:538-544.	
	7	SCHWARTZ, L.H. et al.; "Kidney Mobility During Respiration"; Radio/her. Oncol. 32; pp. 84-86; (1994).	
	8	SHIRATO, H. et al.; "Four-Dimensional Treatment Planning And Fluroscopic Real-Time Tumor Tracking Radiotherapy For Moving Rumor"; Int. J. Radial. Oncol., Bioi., Phys. 48; pp. 435-442; (September 2000).	
	9	SINKUS, Ralph. et al.; "Motion Pattern Adapted Real-Time Respiratory Gating"; Magnetic Resonance in Medicine 41; 1999; pp. 148-155.	
	10	SOLBERG, Timothy D., et al.; "Feasibility of Gated IMRT"; Proceedings of the 22nd Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Chicago, IL (July 23-28, 2000) 3pps: 2732-2734	
	11	SPUENTRUP, E. et al. "Respiratory motion artifact suppression in diffusion-weighted MR imaging of the spine" Eur. Radiol. (2003) 13:330-336.	
	12	SURAMO, M.P. et al.; "Cranio-caudal Movements Of The Liver, Pancreas And Kidneys on Respiration", Acta Radiol. Diagn. 2; pp. 129-131; (1984).	
	13	TADA, Takuhito, et al.; "Lung Cancer: Intermittent Irradiation Synchronized With Respiratory Motion-Results Of A Pilot Study"; Radiology, June, 1998; Vol. 207; No.3; pp. 779-783.	
	14	THICKMAN, D. et al. "Phase-Encoding Direction upon Magnetic Resonance Image Quality of the Heart" Magnetic Resonance in Medicine (1988) 6:390-396.	
	15	van GEUNS, R.J.M. et al.; "Magnetic Resonance Imaging Of The Coronary Arteries: Clinical Results From ThreeDimensional Evaluation Of A Respiratory Gated Technique"; Heart 82; pp. 515-519; (October 1999).	
	16	WANG, Y. et al. "Navigator-Echo-based Real-Time Respiratory Gating and Triggering for Reduction of Respiration Effects in Three-dimensional Cromary MR Angiography" Radiology (1996) 198:55-60.	
	17	WANG, Y. et al.; "Implications For The Spatial Resolution in Coronary Imaging"; Magnetic Resonance in Medicine 33; 1995; pp. 713-719.	

PALOALTO 79937 (2K)		Date Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 'Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 'Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 'For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 'Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 'Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /A.L./

Approved for use through 04/30/2009 OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 2 of 3

	Complete if Known
Application Number	10/655,920
Filing Date	September 5, 2003
First Named Inventor	Hassan Mostafavi
Art Unit	3737
Examiner Name	Lauritzen, Amanda L.
Attorney Docket Number	VM 03-006-US

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T
	18	WEBER, C. et al. "Correlation of 3D MR coronary angiography with selective coronary angiography: feasibilitly of the motion adapted gating technique" Eur. Radiol. (2002) 12:718-726.	
	19	WEIGER, Markus, et al.; "Motion-Adapted Gating Based on k-Space Weighting For Reduction of Respiratory Motion Artifacts"; Magnetic Resonance in Medicine 38; 1997; pp. 322-333.	
	20	WIESMANN, F. "High-Resoulution MRI with Cardiac and Respiratory Gating Allows for Accurate in Vivo Atherosclerotic Plaque Visualization in the Muring Aortic Arch" Magnetic Resonance in Medicine (2003) 50:69-74.	
	21	WONG, J.W. et al.; "The Use Of Active Breathing Control (ABC) To Reduce Margin For Breathing Motion"; Inf. J.Radial. Oncol., Phys. 44; pp. 911-919; (JUly 1999).	
	22	WOOD, M. L. and R. M. Henkelman "Suppression of respiratory motion artifacts in magnetic resonance imaging" Med. Phys. (Nov/Dec 1996) 13(6):794-805.	
	23	WOODARD, P.K., et al.; "Detection of Coronary Stenoses on Source and Projection Images Using Three-Dimensional MR Angiography With Retrospective Respiratory Gating: Preliminary Experience"; AJR:170; April 1998; No.4; 00. 883-888.	
	24	WORTHLEY, S.G. et al. "Cardiac gated breath-hold back blood MRI of the coronary artery wall: An in vivo and ex-vivo comparison" Int'l J. Cardiovascular Imaging (2001) 17:195-201.	
	25	YAMASHITA, Y. et al. "MR Imaging of Focal Lung Lesions: Elimination of Flow and Motion Artifact by Breath-Hold ECG-Gated and Black-Blood Techniques on T2-Weighted Turbo SE and STIR Swquences" J. Magnetic Resonance Imaging (1999) 9:691-698.	
	26	YORKE, E. et al.; "Respiratory Gating Of Sliding Window IMRT"; 22nd Annual EMBS International Conference. Chicago, IL.; pp. 2118-2121; (July 23-28. 2000).	
	27	YUAN, Q. et al.; "Cardiac-Respiratory Gating Method For Magnetic Resonance Imaging Of The Heart"; Magn. Reson. Med. 43; pp. 314-318; (February 2000).	
	28	VEDAM, S.S. et al., "Acquiring a four-dimensional computed tomography dataset using an external respiratory signal" Phys. Med. Bio. 48 (2003), pp. 45-62.	
	29	International Search Report and Written Opinion dated February 5, 2007 for PCT/US2005/034999.	
	30	International Search Report and Written Opinion dated December 1, 2005 (PCT/US05/08037)	
	31	International Search Report and Written Opinion dated October 13, 2005 (PCT/US04/32381)	
	32	International Search Report, Varian Medical Systems, Inc. PCT/US03/27552, February 19, 2004.	
	33	Preliminary Search Brochure entitled "Kinematic Measurement Systems" by Qualisys printed April 4, 1994; 4 pages.	
	34	International Search Report for PCT/US03/36454 issued May 28, 2004.	
	35	International Search Report and Written Opinion dated Feb. 15, 2005 for PCT/US2004/029277.	
	36	International Search Report and Written Opinion dated January 30, 2006 for PCT/US2004/028571.	

PALOALTO 79937 (2K)		Date Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /A.L./

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 3 of 3

Complete if Known	
Application Number	10/655,920
Filing Date	September 5, 2003
First Named Inventor	Hassan Mostafavi
Art Unit	3737
Examiner Name	Lauritzen, Amanda L.
Attorney Docket Number	VM 03-006-US

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T
	37	International Search Report and Written Opinion dated March 15, 2005 for PCT/US2004/028756.	

/Amanda L. Lauritzen/ 04/28/2010

PALOALTO 79937 (2K)		Date Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /A.L./